Review Article

J. Environ. Nanotechnol.
Volume 9, No.1 pp. 42-50
ISSN (Print): 2279-0748
ISSN (Online): 2319-5541
doi:10.13074/jent.2020.03.194385

Biomedical Applications of Manganese and Cobalt Nanocomposites: A Review

D. Nagajothi, J. Maheswari

Department of Chemistry, Ayya Nadar Janaki Ammal College, Sivakasi, TN, India.

Abstract

In this review the synthesis, characterization and biomedical applications of the Manganese (Mn) and Cobalt (Co) nanocomposites were discussed. Nanocomposites and biomedical applications are the recent development in the field of sciences and medicinal sciences. The age-old chaos, causalities determination and treatment diagnosis pattern of the disease has become open and the causality level has been decreased due to these recent innovations. Generally, Manganese and Cobalt nanocomposites are synthesized by variety of methods like hydrothermal, sol-gel, co-precipitation, thermal decomposition, laser & micro-emulsion with suitable precursor and reagents. The synthesized Manganese and Cobalt nanocomposites can be characterized by AFM, XRD, FTIR, UV-Visible, DSC, TGA, NMR, SEM, TEM, EDS, CCD & VSM. In all results, Nanocomposites of Mn and Co showed excellent fluorescence and magnetic properties, since it is widely employed in the biomedical applications such as bio-imaging, drug delivery and diagnostics. These manganese and Cobalt nano-composites are useful in the biomedical applications because of its low toxic effect and high fluorescent property to emit the state of the affected area of the organ in a precise manner.

Keywords: *Biomedical applications; Cobalt; Cancer theranostics; Diagnostics; Manganese; Nanocomposites.*

1. INTRODUCTION

Nanotechnology is the recent part of science innovations that is transitional size of largest molecules and smallest molecules. Typically, the size of particles is less than 100nm is considered as nanomaterials (Lai and Shafi, 2003; Vestal and Zhang, 2003). The nano structured materials are widely utilized in various fields of science and engineering. In chemistry, nano scale drugs are routinely used to control proteins, signaling complexes and medical theranostics. In status, more nanocomposites having been synthesized and these composites are applied in bio-medical field in the treatment of anti-diabetic treatment, anticancer and antibacterial fields. In this process of synthesis of nanocomposites, the initial step involves preparation of quantum dots, these are widely used in chemical industry for making paint and other synthetic products (Weddemann *et al.*2010; Daniel and Astruc, 2004). The semiconductor quantum dots are fluorescent; they emit colored light when exposed through ultraviolet excitation. These are also used to predict images which are used for computers and mobile phones. Today, Biomedical applications of nanocomposites like drug carriers, labeling agents, tracking agents, Gene therapy, Hyperthermia, MRI contrast agents, in-vitro application such as conventional agents having minimum cytotoxicity and in-vivo conditions of having good target efficiency (Kumar *et al.*2011).

Recently, nanocomposites are being the promising materials for biomedical applications. Biomedical science is one of the important filed in science and medicinal sciences. The determination and treatment diagnosis pattern of the disease has become open and the causality level has been decreased due to the recent innovations of nanocomposites in biomedical science. Hence, the present review aims on the perspective of studying the synthesis, characterization and the recent bio medical applications of Manganese and Cobalt nanocomposites (Bhattacharyya *et al.*2011; Karrina Mc Namara and Syed, 2017).

**** D. Nagajothi***
email: nagajothid@gmail.com

Manganese is found in quite a lot of minerals and as a free element in nature. It seems hard and brittle, tarnishes slowly in air, and rusts in water containing dissolved oxygen. It is chiefly used as industrial metal alloy, particularly in the production of stainless steels. The molar mass of manganese nanoparticles is 54.94 g/mol and the melting point of 1244 °C, and the boiling point of 1962 °C (Azonano, 2013; Deborah *et al.*2014).

The current potential applications of Cobalt nanoparticles are in electronic and optical fields and it have unexpected optical properties due to their nano size and are capable of producing quantum effects. Nanoparticles research is a rapidly developing area with immense potential in the field of chemistry and other sciences. The morphology of cobalt nanoparticles is spherical, grey or black colour powder. Cobalt nanoparticles possess admirable magnetic properties, which leads to the applications of imaging, sensors, and many other areas in medical principles. The density of cobalt nanoparticles are 8.86 g/cm and molar mass 58.93 g/mol and these melting point 1495 °C, boiling point 2870 °C (Azonano, 2013).

2. EXPERIMENTAL METHODS

2.1 Magnetic properties

Magnetism are five types, these five types are separated into two categories. The first category includes paramagnetism, ferro and ferrimagnetism which are present in materials that are attracted to the applied magnetic field. These materials have unpaired electrons in their valence atomic shell. The unpaired electrons align in the same direction as the applied field resulting in a net magnetic moment leading to a positive susceptibility. The second category contains the remaining types of magnetism like diamagnetism and anti-ferromagnetism and they are present in materials that repel the magnetic field (Mathew, D. S, et.al 2007). The Manganese have two oxidation state +2 and +3 (MnO, Mn_2O_3, Mn_3O_4), at room temperature Mn_3O_4 is paramagnetic. But the below temperature 41-43k the Mn_3O_4 is ferromagnetic, these are reported by nanocrystalline sample. Co_3O_4 has antiferromagnetic nature.



This image is copied from (Nazih Radwan thesis, 2005)

Super-paramagnetic properties of nanoparticles make them in many applications and specifically in the biomedical field due to their compatibility with the physiological conditions. The main applications of super-paramagnetic nanoparticles like Bio-imaging, MRI contrast agents, in targeted drug delivery and in the treatment of hyperthermia[11]. Magnetic Iron oxide nano particles are commonly used in biomedical applications, these are ferromagnetism. As compared, manganese nanoparticles has super-paramagnetic elements, these have high magnetism than Iron oxide nano-particles (Chen *et al.*1994; Bettini *et al.*2015).

2.2 Synthesis of Nanocomposites

Nano - structures are basically synthesized by two methods namely Bottom up and Top down Method. These methods are done by growing or assembling of atoms or molecules by building blocks, the building blocks manipulated by controlled chemical reactions in self-assemble to make nanostructures or quantum dots. Chemical / Electrochemical, Precipitation, Vapour Deposition, Sol-gel, Lasser & Aerosol Pyrolysis is some bottom-up methods, toxic. Green synthesis such as plant extract, bacteria & fungus are non-toxic. In Top-down Methods, Bulk materials are reduced by breaking, cutting, or engraving to form nanostructure materials (Yin *et al.*2010; Rajib Ghosh *et al.*2012; Respaud *et al.*1998).

In general, Hydrothermal method is simple & best method for all nanocomposites (Deyang Chen and Yuying Meng, 2017). Manganese nanoparticles are produced using n-butyl lithium as a reducing agent in hydrothermal method. Manganese oxide was prepared by the reduction of potassium permanganate under atmospheric pressure in a closed vessel at 170 ^{0}C (Cui *et al.*2013). Cobalt nanoparticles were produced by the simple one-step hydrothermal method with the capping

of Oleic acid. Cobalt Nanoparticles $Co(CH_3COO)_2 \cdot 4H_2O$ are prepared by $K_2C_4H_4O_6.0.5H_2O$ and $NaC_4H_4O_6 \cdot 4H_2O$ through the activation of mild hydrolysis (Ovanovi *et al.*2014). The nanoparticles of Cobalt can be produced using the laser evaporation process. In this process high purity cobalt is used as a raw material for producing high purity, small particle, and large quantities at a very reasonable cost. Variety of Organic & Inorganic polymers enhances mechanical, electronic, catalytic & optical properties. For example PDDA polymer intercalated with manganese oxide to form thin film of electrode to improve Catalytic & electrochemical properties (Li and Han, 2015; Michele Karoline *et al.*2018). Mn_3O_4 nanoparticles produced by using two different manganese precursors from Co-precipitation method (Bama Krishnan and Sundrarajan Mahalingam, 2016). $Mncl_2$-SWNT & $MnBr_2$-SWNT nanocomposites obtained by Capillary filling of single wall nano tube with manganese halogenides (Kharlamova and Eliseev, 2012). The MnO_2-MWCNT nanocomposites synthesized by redox titration method at room temperature (Chung Jung Hung and Jeng Han Hung, 2011) MnO_2NT were synthesized by a simple single step hydrothermal method in acidic $KMnO_4$ in the absence of surfactants (Mahmoudian and Alias, 2014) Co-NiO nanocomposites were synthesized sol-gel method using $NiCl_2$ and $CoCl_2$ (Harish Kumar *et al.*2018). Porous Co_3O_4 nanowires produced by hydrothermal methods using nitrilotriacetic acid (Hua-Jun Qiu *et al.*2014). Mesoporous Co_3O_4 nanobelts and nanoneedles prepared by calcinations of α-$Co(OH)_2$ (Lou *et al.*2008) Cobalt Oxide nanoparticles were synthesized by sol-gel method using PVA (Poly Vinyl Alcohol (Tian *et al.*2010; Zhang *et al.*2008).

2.3 Characterization

Nanocomposites are characterized by various techniques and with the aid of equipments like Atomic Force Microscopy (AFM), which is a scanning probe magnifier. Fourier Transformed Infrared Spectroscopy (FTIR) explain purity of sample, Infrared spectroscopic studies confirm the single-phase Cobalt nanoparticles with a high structural quality. X ray Diffraction (XRD) The average crystallite size of the nanocomposites can be calculated by using the Debye–Scherrer equation (Meysam Soleymani and Mohammad Edrissi, 2006; Pugazhradivy *et al.*2013). The lattice constant and crystal structure of nanocomposites are also estimated. The structural, physiochemical and magnetic properties of Cobalt nanoparticles were investigated and verified for their applicability in biomedicine, X-ray diffraction method (Cuizhu *et al.*2012). Differential Scanning Calorimetric (DSC), TGA & DSC curves detected thermal stability of MnO_x-MWCNT nanocomposites (Chung Jung Hung and Jeng Han Hung, 2011). Scanning and Transmission Electron Microscopy (SEM/TEM) are the methods to identify the morphology of nanocomposites. Magnetic behavior and chemical constancy of MnO nanoparticles are explained by SEM/TEM (Michele Karoline *et al.*2018).

In the Electron Microscopy imaging analyses, the Cobalt nanoparticles demonstrate a ferromagnetic character over a wide range of temperature 20-300K. The temperature dependence of the magnetic parameters namely, saturation magnetization, remnant magnetization, reduced remnant magnetization were finalized with structure of the Cobalt nanoparticles using Electron Microscopy imaging. The Energy Dispersive Spectroscopy (EDS) were used to study the surface morphology of the nanoparticles and Cytotoxicity studies demonstrate that these nanoparticles show mild anti-proliferative character against the cancer cells and safeguard the normal cells (Ansari *et al.*2016; Gornati *et al.*2016). The scattered light of nanocomposites was analyzed by using the Charge Coupled Device (CCD). Finally, the Magnetic properties are measured using vibrating sample magnetometer (VSM) (Shilpa Ramachandran and Sathish Kumar, 2018).

3. APPLICATIONS OF NANOCOMPOSITES

These nanocomposites are used in Information and computing sensors, electronic & optical devices, quality measurement of soil, water, plant, food, energy storage & data storage, waterproof fabrics, electronics, ceramics, paints, drug delivery, vehicles, catalysis and environmental remediation. The key applications of manganese nanoparticles are in the recent fields of Magnetic data storage, MRI, Biosensors, Textiles, Coatings, nanowires, plastics, and nanofibers. The previous research Manganese nanocomposites maximum used electrochemical applications. Cobalt oxide nano particles can also be used in several applications like high performance materials for gripping particularly high frequency, millimeter wave, visible light and infrared. In Current research, researchers are more concentrate in new applications of nano field like electric, magnetic, optical imaging, catalytic, biomedical and bioscience (Li *et al.*2010; Howes *et al.*2014; Huang and Davis, 2011).

4. BIO-MEDICAL APPLICATIONS OF MANGANESE AND COBALT NANOPARTICLES

In current research focused on biomedical applications of Nanoparticles, the list of Manganese and Cobalt nano-composites are available. Some nano-

composites are toxic but these two nanocomposites Manganese & Cobalt have low cytotoxicity. They are used for biosensor, biomimetic, monitor human health, diagnosis of disease, drug & gene therapy, molecular imaging & drug delivery and then using reproduction of damaged tissues. Nanoparticles are used to transitional species in the protein functional process such as antibody-antigen interaction, receptor-substrate interaction and biotin-avidin interaction. Binding of protein with Nanoparticles is to reduce cytotoxicity. Peptide ligand stabilizes the Nanoparticles. Phospholipids are allowed to dole out nano-composites with possible drug delivery, Hyperthermia applications and to reduce non-specific interactions (Doaga *et al.*2013; Mayank Bhushan *et al.*2017).

In the modern technological advancement, the use of Manganese based nanoparticles in the biomedical field has been focused in their application as positive contrast agents for Magnetic Resonance Imaging (MRI). The MRI contrast agents are basically in the form of paramagnetic complexes or magnetic nanoparticles. For instance, Manganese-enhanced MRI, which uses manganese ion Mn^{2+} as a contrast agent is applicable to animals only owing to the toxicity of Mn^{2+} in neuroscience research (Allison M. Dennis *et al.*2012; Jain *et al.*2011).



This image copied from Sepideh parvanian *et.al.*, *2017*

The crystalline MnO nanoparticles are expected to become positive contrast agents for MRI scanning. It is commonly recognized that the manganese to the surface only contributes the major contrast effect, which could be close contact with the proton of water molecules. The as-synthesized MnO nanoparticles are generally hydrophobic, there is one of the Mn-based MRI contrast agent namely mangafodipirtrisodium in clinical use. On the other hand, Mn-based complexes are very easy to dissociate after administration to yield free Mn^{2+} for the reason that of the conversion between the six- and seven-coordinated states. Due to the physiological function, the exposure to excess Mn can provoke harmful effects on the central nervous system and cause Parkinsonism syndrome in patients with liver failure (Colognato *et al.*2008; Ling and Hyeon, 2013).

The in vivo volatility of Mn-DPDP has raised special concerns about its latent toxicity from the Mn^{2+} ions, which ultimately led to its gradual withdrawing. Hence, it is suggested that it is necessary to find biocompatible and thermodynamic stable Mn compounds to activate. The advances in nanotechnology have developed some types of Mn-NPs-based MRI contrast agent with well-defined morphology and high solubility. They exhibit positive behaviors in exposure, localization, classification and assessment of hepatic lesions and offer clinical advantages over the accessible Mn-based MRI contrast agent, Mn-DPDP in medical field. It is noticed that some of them have offered an improved biocompatible profile. In the selective imaging of exact biomarkers in brain pathologies, MnO nanoparticles can be functionalized by conjugation with the antibody for a selective target towards the epidermal growth factor receptors, which are over expressed on the exterior of brain cancer cells. Nowadays, recent studies have reported the primary biocompatible and nano structured contrast agent for MRI applicable to different organs and body tissues, allowing to obtain clear images of the brain, liver, kidney and bone marrow from 5 days to 3

weeks after the administration of MnO nanoparticles. Their distribution, accumulation in organs, tissues and its low cellular toxicity open a new way for the growth of contrast agents for molecular therapy and cellular imaging in medicine (Lagendijk *et al.*2014; Limaye *et al.*2009; Fang and Zhang, 2009; Keall *et al.*2014; Tse *et al.*2015).

The Cobalt nanoparticles have been used for a hundred periods as a dye and it is important human nutrient as part of the vitamin B12. It is used in Medical sensors for contrast enhancement agent in magnetic resonance imaging and it is used as Drug delivery agents for cancer therapies. One of the objectives of the discussion is to investigate the as-synthesized Co NPs against the cancer cell and on normal cell. For Cisplatin resistant ovarian cancer among women, ovarian cancer is the leading cause of death in women worldwide. According to the information of National Cancer Institute, USA ovarian cancer has the highest mortality rate among all the reproductive type of cancers in women. The advanced stage diagnosis and chemo resistance is a major barrier in treating too much advanced stages of ovarian cancer. Commonly, the most chemotherapeutic drug for ovarian cancer treatment is Cisplatin. Many patients ultimately become resistant to Cisplatin. The usefulness of current treatments may be enhanced by increasing the sensitivity of cancer cells. It was clear that, the increase of Cisplatin resistant ovarian cancer cells are reduced in a dose dependent manner. Notably, cell viability of NPs was observed above 86% for all the different Cobalt nanoparticles concentrations in the process. The higher concentration of NPs (300 μg/mL) viability was found to be 87.36 % and the lowest viability was observed 87 % (at 250 μg/mL) in many of the past researches. Nearly, the cytotoxicity against the Cisplatin resistant ovarian cancer cells was observed to be 5–13 % (viability: 87 - 95%) for10-300 μg/mL concentration of Co nanoparticles. However, it is poor, in clinical settings, 30% of response of patient to anti-cancer drugs is taken as a good therapeutic. Co NPs are mildly cytotoxic against human cisplatin resistant ovarian cancer cells (Ansari *et al.*2016; Gornati *et al.*2016; Shilpa Ramachandran and Sathish Kumar, 2018).

The presence of Magnetic nanoparticles on the cell surface affects the plasma membrane and it causes cell death as compared to control. The cytotoxicity data of these nano materials has been difficult to compare since the toxic effects of magnetic nanoparticles are influenced by many parameters such as size distribution, surface coating, magnetic properties, etc in biomedical applications. It has been reported that the surface coating can modify the surface properties of nanoparticles. The studies tell that oleic acid plays an important role in the control of the size & shape of the magnetic nanoparticles. The magnetization was found to be lower than the bulk Co with size of individual particles. Oleic Acid is used as capping agent during the synthesis but not after the synthesis. Hence, capped NPs are less toxic than the bulk NPs (Dong *et al.*2015; Wolfe *et al.*2015; Wang et a. 2015; Chatterjee *et al.* 2008; Nelson *et al.*2009).

Malvindi *et al.*examined that, the NPs surface passivation reduces the oxidative stress and alteration of iron homeostasis. Consequently, the overall toxicity, despite bare and passivated nanoparticles shows similar cell internalization efficiency. The researchers also found that the higher toxicity of these nanoparticles are due to their stronger in-situ degradation with larger intracellular release of iron ions while compared to surface passivated nanomaterials. Their results indicate surface engineering of magnetic nanoparticles plays a vital role in improving particle stability in biological environments plummeting both cytotoxic and genotoxic effects (Papisa *et al.*2009; Sabbioni *et al.*2013; 2014; Puntes *et al.*2001).

From the cytotoxicity analyses of Co nanoparticles against the cancer cell and normal cell and these concentrations range 10-300μg/mL can be used for biomedical applications as it shows the viability more than 81% against the normal cell and cancer cell. As a result, the present review suggests that, as-synthesized NPs are mildly anti-proliferative against Cisplatin resistant human cancer cells. It is evident that the Nanoparticles did not show adverse effect on normal cell as compared to its control, these NPs can be tested for anticancer agents with existing drugs in biomedical applications. Moreover, it can also be used for treatment as a drug deliver in the affected area of body (Pai *et al.*1997; Lin *et al.*1998; Montiel *et al.*2011; Peng *et al.*2014; Pankhurst *et al.*2009; Shouheng and Murray *et al.*1999; Thanha, 2015; Warner *et al.*2012).

5. CONCLUSION

Today, Biomedical applications of nanoparticles like drug carriers, labeling agents, tracking agents, Gene therapy, Hyperthermia, MRI contrast agents, in-vitro application such as conventional agents having minimum cytotoxicity and in-vivo conditions of having good target efficiency. The Mn and Co nanoparticles play a vital role in the biomedical methods. Manganese and Cobalt are found in minerals or as a free element. The nanoparticles of them are currently a subject of intense research owing to their potential applications in Medical, Electronic

and Optical fields. Chemical constancy of MnO nanoparticles and Cobalt nanoparticles were investigated. Cytotoxicity studies demonstrate that these nanoparticles show positive character against the cancer cells and safeguard the normal cells. In biomedical applications, Manganese and Cobalt nano-composites are available and have low cytotoxicity. The distribution, accumulation in organs and tissues, its tolerable low cellular toxicity may surely open a new way for the growth of contrast agents for molecular therapy and cellular imaging in medicine of the near future. Through these, it can be utilized for cancer theranostics. In Site-specific areas, it may be used as drug delivery agent for cancer therapy. As a result, the present review suggests that the Mn & Co NPs are useful in the treatment of human cancer cells. Consequently, it is suggested that these NPs can be tested as the particles of anticancer agents either alone or with existing drugs in biomedical applications.

REFERENCES

Allison M. Dennis, Won Jong Rhee, David Sotto, et.al. (2012) Quantum Dot Fluorescent Protein FRET Probes for Sensing Intracellular pH. 6:2917-2924.

Ansari S M, Bhor R D, Pai K R, Mazumder S, Sen D (2016) Size and chemistry controlled cobalt-ferrite nanoparticles and their anti-proliferative effect against the MCF-7 breast cancer cells. *ACS Biomater. Sci. Eng*. 2: 2139-2152.

Azonano. (2013) Cobalt Nanoparticles- Properties and applications. Article ID: 3274.

Azonano. (2013) Manganese Nanoparticles- Properties and applications. Article ID: 3291.

Bama Krishnan, Sundrarajan Mahalingam (2016) Facile synthesis and antimicrobial activity of manganese oxide/bentonite nanocomposites, DOI 10.1007/s11164-016-2765-7.

Bettini S, Pagano R, Bonfrate V (2015) Promising Piezoelectric Properties of New ZnO@Octadecylamine Adduct. *Journal of Physical Chemistry* 119: 20143–20149.

Bhattacharyya S, Kudgus R A, Bhattacharya R, and Mukherjee P. (2011) Inorganic nanoparticles in cancer therapy. *Pharmaceutical Research*. 28: 237–259.

Chatterjee D K, Fong L S, and Zhang Y (2008) Nanoparticles in photodynamic therapy: an emerging paradigm. *Advanced Drug Delivery Reviews*. 60: 1627–1637.

Chen J P, Sorensen C M, Klabunde K J, Hadjipanayis G C (1994) Magnetic properties of nanophase cobalt particles synthesized in inversed micelles. *J. Appl. Phys* 76: 6316-6318.

Chung Jung Hung, Jeng Han Hung (2011) Electrophoretic Fabrication and Characterizations of Manganese Oxide/Carbon Nanotubes Nanocomposites Pseudo-capacitors. 158: 942-947.

Colognato R, Bonelli A, Ponti J, et.al. (2008) Comparative genotoxicity of cobalt nanoparticles and ions on human peripheral leukocytes in vitro. Mutagenesis. 23: 377–382.

Cui H J, Cai J K, Shi J W, Yuan B, and Fu M L. (2013) Synthesis of porous magnetic ferrite nano wires containing Mn and their application in water treatment. *Journal of Materials Chemistry*. 1: 5902–5907.

Cuizhu H, Song Q, Xinzhen W, Jiurong, L, Liqiang L, Wei L, Masahiro I, Machida K (2012) Facile synthesis of hollow porous cobalt spheres and their enhanced electromagnetic properties. *J. Mater. Chem* 22: 22160–22166.

Daniel MC, Astruc D. (2004) Gold nanoparticles: assembly, supramolecular chemistry, quantum-size-related properties, and applications toward biology, catalysis, and nanotechnology. 104: 293–346.

Deborah J. Jones, Etienne Wortham, Jacques Roziere, (2014) Manganese oxide nanocomposites: preparation and some electrochemical Properties. 65: 235-239.

Deyang Chen and Yuying Meng. (2017) Synthesis of Magnetic Oxide Nanoparticles for Biomedical Applications. 2: 3.

Doaga A, Cojocariu A M, Amin W et. al. (2013) Synthesis and characterizations of manganese ferrites for hyperthermia applications. *Materials Chemistry and Physics*. 143: 305–310.

Dong Y, Zhao H, Liu Y, Wu X, Pei J (2015) Shape-controlled synthesis of cobalt particles by a surfactant-free solvo-thermal method and their catalytic application to the thermal decomposition of ammonium perchlorate. 17: 9062-9069.

Fang C and Zhang M (2009) Multifunctional magnetic nanoparticles for medical imaging applications. *Journal of Materials Chemistry* 19: 6258–6266.

Gornati R, Pedretti E, Rossi F, Cappellini F et.al., (2016) Zero valent Fe, Co and Ni nanoparticle toxicity evaluated on SKOV-3 and U87 cell lines. *J. Appl. Toxicol*. 36: 385-393.

Harish kumar, dharm veer and rammehar singh (2018) Synthesis and Characterization of pure CoO and Ni doped CoO-NiO-SiO2 Nanocomposites Using Sol-Gel Technique. 7: 95-100.

He, Y. Q *et.al.* (2009) Nanoparticle fabrication using ambient biological resources. *Appli. Nano. Sci* 19: 1113-1130.

Howes PD, Chandrawati R, Stevens MM (2014) Bio-nanotechnology. Colloidal nanoparticles as advanced biological sensors. *Science* 346: 1247390.

Hua-Jun Qiu, Li Liu, Yan-PingMu, Hui-Juan and Yu Wang (2014) Designed synthesis of Cobalt-Oxide-based nanomaterials for superior electrochemical energy storage devices.

Huang W Y and Davis J J (2011) Multimodality and nanoparticles in medical imaging. *Dalton Transactions*. 40: 6087–6103.

Jain S, Coulter JA, Hounsell AR, Butterworth KT *et. al.*, (2011) Cell specific radio sensitization by gold nanoparticles at megavoltage radiation energies. *Int J Radiat Oncol Biol Phys* 79: 531–9.

Jian Lu, Shuli Ma, Jiayu Sun, Chunchao Xia (2009) Manganese ferrite nanoparticle micellar nanocomposites as MRI contrast agent for liver imaging. 30: 2919–2928.

Karrina McNamara & Syed A. M. Tofail (2017) Nanoparticles in biomedical applications 2: 54-88.

Keall PJ, Barton M, Crozier S; Australian MRI-Linac Program (2014) The Australian magnetic resonance imaging-linac program. *Semin Radiat Oncol* 24: 203–216.

Kharlamova M V, Eliseev A A (2012) Synthesis of nanocomposites on basis of single-walled carbon nanotubes intercalated by manganese halogenides345: 012034.

Kumar S, Kumar A, Shah P, Rai S N, Panguluri S K, Kakar S S. (2011) Micro RNA signature of cis-platin resistant vs. cisplatin sensitive ovarian cancer cell lines. *J. Ovarian* Res. 4: 1-11.

Lagendijk JJ, Raaymakers BW, Vulpen M (2014) The magnetic resonance imaging-linac system. *Semin Radiat Oncol* 24: 207–9.

Lai J, Shafi M. (2003) Mixed iron-manganese oxide nanoparticles. *Abstracts of Papers of the American Chemical Society*. 226: 561–562.

Li C C, Yin X M, Chen L B, Li Q H, Wang T H (2010) Synthesis of cobalt ion-based coordination polymer nanowires and their conversion into porous Co_3O_4nanowires with good lithium storage properties. *Chem. Eur. J. 16*: 5215-5221.

Li Z, Gao K, Han G (2015) Solvothermal synthesis of MnFe2O4 colloidal nanocrystal assemblies and their magnetic and electrocatalytic properties. *New Journal of Chemistry*. 39: 361–368.

Limaye M V, Singh S B, Date S K, et.al. (2009) High coercivity of oleic acid capped CoFe2O4nanoparticles at room temperature. *J. Phys. Chem*. B. 113: 9070-9076.

Lin X M, Sorensen C M, Klabunde K J, Hadjipanayis G C (1998) Temperature dependence of morphology and magnetic properties of cobalt nanoparticles prepared by an inverse micelle technique. *Langmuir* 14: 7140-7146.

Ling D and Hyeon T (2013) Chemical design of biocompatible iron oxide nanoparticles for medical applications. 9: 1450 1466

Lou X W, Deng D, Lee J Y, Archer L A (2008) Thermal formation of mesoporous single-crystal Co3O4nano-needles and their lithium storage properties. *J. Mater. Chem.18*: 4397-4401.

Mahmoudian M R, Alias Y (2014) Facile preparation of MnO_2nanotubes/reduced graphene oxide nanocomposite for electrochemical sensing of hydrogen peroxide. 201: 526-534.

Mayank Bhushan, Yogesh Kumar, Latha, Annamraju (2017) Antibacterial applications of α‑Fe2O3/Co3O4 nanocomposites and study of their structural, optical, magnetic and cytotoxic characteristics. 8:137–153.

Meysam Soleymani and Mohammad Edrissi, (2016) Preparation of manganese-based perovskite nanoparticles using a reverse microemulsion method: biomedical applications, 39: 487-490.

Michele Karoline, Lima-Tenório, Carlos Sergio Ferreira (2018) Pseudocapacitance Properties of Co_3O_4 Nanoparticles Synthesized Using a Modified Sol- Gel Method, 21:1.

Montiel M G, Jacinto P S, Gongora ID, Reguera E, Gattorno G R (2011) Synthesis and thermal behavior of metallic cobalt micro and nanostructures. *Nano. Micro. Lett.* 3: 12-19.

Nelson A, Patrick O and Ndidi C (2009) Nanotechnology and Drug delivery. *Tropical Journal of Pharmaceutical Research*. 8: 265-274.

Ovanovi S , Spreitzer M, Tram ek Trontelj Z, Suvorov D. (2014) Effect of oleic acid concentration on the physicochemical properties of cobalt ferrite nanoparticles. J. Phys. Chem. 118: 13844-13856.

Pai K, Shrivastava A, Kuma R, Khetarpal S, Sarmah B, Gupta P, Sodhi A (1997) Activation of P388Dl macrophage cell line by chemo therapeutic drugs. *Life Sci.* 60: 1239-1248.

Pankhurst Q A, Thanh K, Jones S K, Dobson J (2009) Progress in applications of magnetic nanoparticles in biomedicine. *J. Phys. D: Appl. Phys.*42: 224001-224015.

Papisa E, Rossi F, Raspantib M, et.al. (2009) Engineered cobalt oxide nanoparticles readily enter cells. *Toxicology Lett.* 189: 253–259.

Peng L H, Niu J, Zhang C Z, Yu W, Wu J H, Shan Y H (2014) TAT conjugated cationic noble metal nanoparticles for gene delivery to epidermal stem cells. *Biomaterials.*35: 5605–18.

Pugazhradivu.S.K, Ramachandran.K, Tamilarasan.K (2013) Synthesis and Characterization of Cobalt and Manganese oxide Nanoparticles by Chemical Route. 49: 205 – 216.

Puntes V F, Krishnan K M, Alivisatos A P (2001) Colloidal nanocrystal shape and size control: the case of cobalt. *Science.* 291: 2115–2117.

Rajib Ghosh, Chaudhuri and Santanu Paria (2012) Core/ Shell Nanoparticles: Classes, Properties,

Synthesis Mechanisms, Characterization, and Applications. *Chem. Rev.*112: 2373–2433.

Respaud M, Broto J M, Rakoto H, Fert A R (1998) Surface effects on the magnetic properties of ultrafine cobalt particles. *Phys. Rev*. B.57: 2925-2935.

Sabbioni E, Fortaner S, Farina M, et.al. (2013) Cytotoxicity and morphological transforming potential of cobalt nanoparticles, microparticles and ions in Balb/3T3 mouse fibroblasts: an in vitro model. *Nanotoxicology*. 1–10.

Sabbioni E, Fortaner S, Farina M, et.al. (2014) Interaction with culture medium components, cellular uptake and intracellular distribution of cobalt nanoparticles, microparticles and ions in Balb/3T3 mouse fibroblasts. *Nanotoxicology*. 8: 88–99.

Shilpa Ramachandran, M. Sathishkumar (2018) Synthesis and characterization of graphene quantum dots/cobalt ferrite nanocomposite, doi:10.1088/1757-899X/310/1/012139

Shouheng S, Murray C B (1999) Synthesis of monodisperse cobalt nanocrystals and their assembly into magnetic superlattices. *J. Appl. Phys*.85: 4325-4330.

Thanha K, L.A.W (2015) Green, Functionalisation of nanoparticles for biomedical applications. *Nano Today*. 119: 503-516.

Tian. L, Zou H L, Fu J X, et.al. (2010) Topotactic conversion route to mesoporous quasi-single-crystalline Co_3O_4nanobelts with optimizable electrochemical performance. *Adv. Funct. Mater*. *20*: 617-623.

Tse BW, Cowin GJ, Soekmadji C, et.al. (2015) PSMA-targeting iron oxide magnetic nanoparticles enhance MRI of preclinical prostate cancer. 10: 375–86.

Vestal C R and Zhang Z J. (2003) Effects of Surface Coordination Chemistry on the Magnetic Properties of $MnFe_2O_4$ Spinel Ferrite Nanoparticles. *Journal of American Chemical Society*. 125: 9828-9833.

Wang G H, Zhao Y Z, Tan J, Zhu S H, Zhou K. C (2015) Arginine functionalized hydroxyl apatite nanoparticles and its bioactivity for gene delivery. *Transactions of Nonferrous metals Society of China*. 25: 490-496.

Warner C L, Chouyyok W, Mackie K E (2012) Manganese doping of magnetic iron oxide nanoparticles: tailoring surface reactivity for a regenerable heavy metal sorbent. *Langmuir* 28: 3931–3937.

Weddemann A, Ennen I, Regtmeier A, et.al. (2010) Review and outlook: from single nanoparticles to self-assembled monolayers and granular GMR sensors. *J Nanotechnol.* 1: 75-93.

Wolfe T, Chatter jee D, Lee J, Grant JD (2015) Targeted gold nanoparticles enhance sensitization of prostate tumors to megavoltage radiation therapy in vivo. 11:1277–83.

Yin *et. al.*, (2010) Green chemistry synthesis of gold nanoparticles using lactic acid asa reducing agents. 5, 5: 270-273.

Zhang Y J, Yao Q, Zhang Y, et.al. (2008) Solvo-thermal synthesis of magnetic chains self-assembled by flowerlike cobalt sub-microspheres. *Cryst. Growth*. 3206-3212.